




THE GRANULAR SUB BASE MATERIAL SHALL CONSIST OF CRUSHED GRAVEL, ROCK OR CONCRETE POSSESSING WELL DEFINED EDGES. IT MUST BE SOUND, CLEAN, NON FRIABLE & FREE FROM CLAY OR OTHER DELETERIOUS MATTER. THE MATERIAL MUST BE NON PLASTIC WHEN TESTED IN ACCORDANCE WITH BS:1377.

THE MATERIAL MUST HAVE A MINIMUM 10% FINES VALUE OF 150/KN WHEN TESTED IN ACCORDANCE WITH BS:812 PART 3. THE SELECTED TEST SAMPLES SHALL NOT BE OVEN DRIED AND SHOULD BE SOAKED IN WATER AT ROOM TEMPERATURE FOR 48 HOURS BEFORE TEST.



1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.
2. ALL LEVELS ARE SHOWN IN METRES UNLESS NOTED OTHERWISE.
3. DO NOT SCALE FROM THE DRAWING. USE FIGURED DIMENSIONS ONLY.
4. ANY DISCREPANCIES TO BE REPORTED IMMEDIATELY TO THE ENGINEER.
5. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, ENGINEERS, SUBCONTRACTORS AND SPECIALISTS DRAWINGS AND SPECIFICATIONS.
6. EXISTING SERVICES HAVE NOT BEEN SHOWN BUT ARE PRESENT - THE CONTRACTOR IS TO LIAISE WITH ALL STATUTORY AUTHORITIES PRIOR TO THE COMMENCEMENT OF ANY WORKS.
7. TEMPORARY WORKS DESIGN BY OTHERS.
8. DESIGN RISK ASSESSMENTS AND METHOD STATEMENTS ARE TO BE PROVIDED TO THE PRINCIPLE CONTRACTOR PRIOR TO THE COMMENCEMENT OF ANY WORKS.

rev.	drawn	chkd.	rev.	date	description
01	HT	PG	21.06.24	FIRST ISSUE	
02	HT	PG	22.08.24	PRE-APP SAB ISSUE	

 **Vale Consultancy**
CONSULTING CIVIL & STRUCTURAL ENGINEERS

29 Bocam Park, Old Field Road, Pencoeed, Bridgend CF35 5LJ.
Phone: 01656 863794 Email: enquiries@vale-consultancy.co.uk

date	drawn	checked	approved	
11.06.24	RM	PG		
scale @ A1		project no.		
1:500		18649		
status	drg. no.			rev.
P	18649/511			02

